

Family	Scientific name	Common name	2016 Red List Category	2016 Red List Criteria met	EOO calculated using Minimum Convex Polygon	EOO threshold for current Category	New Category under B1
Tinamidae	Nothoprocta taczanowskii	Taczanowski's Tinamou	VU	B1ab(i,iii,v)	74200	20000	LC
Cracidae	Chamaepetes unicolor	Black Guan	NT	B1ab(i,ii,iii,v)	43700	30000	LC
Cracidae	Penelope barbata	Bearded Guan	VU	B1ab(i,ii,iii,v)	41600	20000	LC
Cracidae	Ortalis erythroptera	Rufous-headed Chachalaca	VU	B1ab(i,ii,iii,v)	117000	20000	LC
Odontophoridae	Ptilopachus nahani	Nahan's Partridge	EN	B1ab(ii,iii,v)	51300	5000	LC
Odontophoridae	Odontophorus strophium	Gorgeted Wood-quail	EN	B1ab(i,ii,iii,v)	6700	5000	VU
Phasianidae	Pternistis harwoodi	Harwood's Francolin	VU	B1ab(iii,v)	50100	20000	LC
Columbidae	Alopecoenas sanctaerucis	Santa Cruz Ground-dove	EN	B1ab(ii,iii,v)	17200	5000	VU
Caprimulgidae	Nyctiprogne vielliardi	Bahian Nighthawk	NT	B1ab(iii)	52800	30000	LC
Caprimulgidae	Eleothreptus candicans	White-winged Nightjar	EN	B1ab(iii,v)	627,000	5,000	LC
Trochilidae	Augastes scutatus	Hyacinth Visorbearer	NT	B1ab(i,ii,iii,v)	111000	30000	LC
Trochilidae	Eriocnemis mirabilis	Colorful Puffleg	CR	B1ab(i,ii,iii,v)	680	100	EN
Trochilidae	Eriocnemis nigrivestis	Black-breasted Puffleg	CR	B1ab(i,ii,iii,v)	700	100	EN
Trochilidae	Anthocephala floriceps	Blossomcrown	VU	B1ab(i,ii,iii,v)	112000	20000	LC
Trochilidae	Eupherusa cyanophrys	Oaxaca Hummingbird	EN	B1ab(i,ii,iii,v)	7400	5000	VU
Trochilidae	Thalurania ridgwayi	Mexican Woodnymph	VU	B1ab(i,ii,iii,v)	34200	20000	LC

Scientific name	AOO threshold for current Category	2014 'old' RL EOO = rough max of AOO	2016 population (mature individuals)	Forest dependence	Forest spp approx 'max AOO' (forest area within range)	New Red List Category proposed	Criteria proposed for new listing	Notes
Nothoprocta taczanowskii	2000	16700	1500-7000	Non-forest	N/A	NT/VU	C2	Population info needed
Chamaepetes unicolor	3000	15600		Medium	11609.11	LC		Population info needed
Penelope barbata	2000	16500	6000-15000	High	6057.8	NT	B2ab(i,ii,iii,v)	Population info needed
Ortalis erythroptera	2000	19400	1500-7000	Low	N/A	NT/VU	C2	Population info needed
Ptilopachus nahani	500	1700	33000-67000	High	1348.66	VU	B2ab(ii,iii,v)	
Odontophorus strophium	500	1300	1300-2900	High	938.84	VU	B2ab(i,ii,iii,v)	Population info needed
Pternistis harwoodi	2000	17000	6000-15000	Non-forest	N/A	LC		Population info needed
Alopecoenas sanctaerucis	500	1700	600-1700	Medium	1323.24	VU	B2ab(ii,iii,v); D1	Population info needed
Nyctiprogne vielliardi	3000	23300		Non-forest	N/A	LC		
Eleothreptus candicans	500	3100	600-1700	Non-forest	N/A	VU/EN	C2	Population info needed
Augastes scutatus	3000	28700		Medium	6841	LC		Population info needed
Eriocnemis mirabilis	10	31	250-999	High	13.82	EN	B2ab(iii,v)	Colombia RDB estimates AOO as 274 km2 and lists as EN.
Eriocnemis nigrivestis	10	70	140-180	High	50.9	EN/CR	B1+2ab(i,ii,iii,v)	Population info needed
Anthocephala floriceps	2000	10100	1500-7000	High	6021.56	NT/VU	C2	Population info needed
Eupherusa cyanophrys	500	4100	600-1700	High	2068.35	VU/EN	C2	Population info needed
Thalurania ridgwayi	2000	14500	6000-15000	High	6522.94	NT/VU	C2	Population info needed

Family	Scientific name	Common name	2016 Red List Category	2016 Red List Criteria met	EOO calculated using Minimum Convex Polygon	EOO threshold for current Category	New Category under B1
Cuculidae	<i>Coua verreauxi</i>	Verreaux's Coua	NT	B1ab(iii,v)	48600	30000	LC
Strigidae	<i>Otus pauliani</i>	Grand Comoro Scops-owl	CR	B1ab(i,ii,iii,v)	220	100	EN
Strigidae	<i>Otus moheliensis</i>	Moheli Scops-owl	CR	B1ab(i,ii,iii,v)	250	100	EN
Trogonidae	<i>Temnotrogon roseigaster</i>	Hispaniolan Trogon	NT	B1b(i)	50600	30000	LC
Psittacidae	<i>Amazona barbadensis</i>	Yellow-shouldered Amazon	VU	B1ab(i,ii,iii)	135,000	20,000	LC
Psittacidae	<i>Touit costaricensis</i>	Red-fronted Parrotlet	VU	B1ab(i,ii,iii,v)	31600	20000	LC
Psittacidae	<i>Cyanoramphus novaezelandiae</i>	Red-crowned Parakeet	NT	B1ab(ii,iii,v)	4340000	30000	LC
Psittacidae	<i>Loriculus flosculus</i>	Flores Hanging-parrot	EN	B1ab(ii,iii,iv,v)	13400	5000	VU
Cotingidae	<i>Pachyramphus spodiurus</i>	Slaty Becard	EN	B1ab(i,ii,iii,v)	77300	5000	LC
Cotingidae	<i>Phytotoma raimondii</i>	Peruvian Plantcutter	EN	B1ab(i,ii,iii,v)	52700	5000	LC
Tyrannidae	<i>Myiopagis olallai</i>	Foothill Elaenia	VU	B1ab(i,ii,iii)	1,020,000	20000	LC
Tyrannidae	<i>Todirostrum viridanum</i>	Maracaibo Tody-flycatcher	NT	B1ab(i,ii,iii,v)	42400	30000	LC
Tyrannidae	<i>Myiarchus semirufus</i>	Rufous Flycatcher	EN	B1ab(i,ii,iii,iv,v)	57,800	5000	LC
Thamnophilidae	<i>Herpsilochmus gentryi</i>	Ancient Antwren	NT	B1ab(i,ii,iii,v)	65300	30000	LC
Thamnophilidae	<i>Percnostola arenarum</i>	Allpahuayo Antbird	VU	B1ab(i,ii,iii)	33,700	20,000	LC
Formicariidae	<i>Grallaria alleni</i>	Moustached Antpitta	VU	B1ab(i,ii,iii)	168,000	20,000	LC
Furnariidae	<i>Synallaxis tithys</i>	Blackish-headed Spinetail	EN	B1ab(i,ii,iii,v)	42,300	5,000	LC

Scientific name	AOO threshold for current Category	2014 'old' RL EOO = rough max of AOO	2016 population (mature individuals)	Forest dependence	Forest spp approx 'max AOO' (forest area within range)	New Red List Category proposed	Criteria proposed for new listing	Notes
<i>Cooua verreauxi</i>	3000	20300		Non-forest	N/A	LC		
<i>Otus pauliani</i>	10	99	1300	Medium	144.01	EN	B2ab(i,ii,iii,v)	
<i>Otus moheliensis</i>	10	21		260 High	N/A	EN	B2ab(i,ii,iii,v); C2a(ii)	
<i>Temnotrogon roseigaster</i>	3000	15200		High	6665.73	LC		Population info needed
<i>Amazona barbadensis</i>	2000	11000	1500-7000	Non-forest	N/A	NT/VU	A	Note forum discussion in 2016
<i>Touit costaricensis</i>	2000	10000	2500-9999	High	10799.64	NT/VU		Population info needed
<i>Cyanoramphus novaezelandiae</i>	3000	19900	16500-35300	Medium	N/A	LC		Unless AOO can be calculated
<i>Loriculus flosculus</i>	500	1400	2500-9999	High	875.59	VU	B2ab(ii,iii,iv,v); C2a(ii)	Unless population estimate is revised
<i>Pachyramphus spodiurus</i>	500	2100	600-1700	Low	N/A	VU	A2c+3c+4c; C2a(i); D1	Or possibly lower than VU
<i>Phytotoma raimondii</i>	500	4900	670-1600	Medium	0.59	VU/EN	C2a(i)	Population info needed
<i>Myiopagis olallai</i>	2000	14700		High	4315.17	NT	B2ab(i,ii,iii)	
<i>Todirostrum viridanum</i>	3000	24000		Low	N/A	LC		
<i>Myiarchus semirufus</i>	500	2800	1500-7000	Non-forest	N/A	VU	B2ab(i,ii,iii,iv,v); C2a(i)	Population info needed
<i>Herpsilochmus gentryi</i>	3000	9500		Medium	7872.25	LC		
<i>Percnostola arenarum</i>	2000	7700	600-1700	High	7400	NT/VU	C2	Population info needed
<i>Grallaria alleni</i>	2000	8000	1500-7000	High	4555.86	NT/VU	C2	Population info needed
<i>Synallaxis tithys</i>	500	4900	2500-9999	Medium	2566.51	VU	A2c+3c+4c; C2a(i)	

Family	Scientific name	Common name	2016 Red List Category	2016 Red List Criteria met	EOO calculated using Minimum Convex Polygon	EOO threshold for current Category	New Category under B1
Furnariidae	<i>Synallaxis hellmayri</i>	Red-shouldered Spinetail	NT	B1ab(iii)	366,000	30,000	LC
Platysteiridae	<i>Batis minima</i>	Gabon Batis	NT	B1ab(i,ii,iii)	389,000	30000	LC
Malaconotidae	<i>Malaconotus monteiri</i>	Monteiro's Bush-shrike	NT	B1ab(i,ii,iii,v)	246,000	30000	LC
Malaconotidae	<i>Malaconotus alius</i>	Uluguru Bush-shrike	CR	B1ab(iii)	140	100	EN
Campephagidae	<i>Malindangia mcgregori</i>	McGregor's Cuckoo-shrike	NT	B1ab(iii)	81500	30000	LC
Vireonidae	<i>Vireo masteri</i>	Choco Vireo	EN	B1ab(i,ii,iii,v)	34500	5000	LC
Corvidae	<i>Corvus palmarum</i>	Palm Crow	NT	B1ab(iii,v)	135,000	30000	LC
Paradisaeidae	<i>Semioptera wallacii</i>	Standardwing Bird-of-paradise	NT	B1b(ii)	38600	30000	LC
Cisticolidae	<i>Cisticola aberdare</i>	Aberdare Cisticola	EN	B1ab(i,ii,iii,iv,v)	5500	5000	VU
Sylviidae	<i>Acrocephalus brevipennis</i>	Cape Verde Swamp-warbler	EN	B1ab(i,ii,iii)	13300	5000	VU
Sylviidae	<i>Eremomela turneri</i>	Turner's Eremomela	EN	B1ab(i,ii,iii,iv,v)	26500	5000	NT
Timaliidae	<i>Robsonius sorsogonensis</i>	Bicol Ground-warbler	NT	B1ab(ii,iii,v)	47000	20000	LC
Timaliidae	<i>Spelaeoris kinneari</i>	Pale-throated Wren-babbler	VU	B1ab(ii,iii,v)	65600	20000	LC
Timaliidae	<i>Garrulax milleti</i>	Black-hooded Laughingthrush	NT	B1ab(i,ii,iii,iv,v)	73800	30000	LC
Timaliidae	<i>Cutia legalleni</i>	Vietnamese Cutia	NT	B1ab(ii,iii,iv,v)	98300	30000	LC
Timaliidae	<i>Kupeornis gilberti</i>	White-throated Mountain-babbler	EN	B1ab(i,ii,iii,v)	13000	5000	VU

Scientific name	AOO threshold for current Category	2014 'old' RL EOO = rough max of AOO	2016 population (mature individuals)	Forest dependence	Forest spp approx 'max AOO' (forest area within range)	New Red List Category proposed	Criteria proposed for new listing	Notes
Synallaxis hellmayri	3000	12500		Non-forest	N/A	LC		
Batis minima	3000	19600		Medium	5078.41	LC/NT	B2ab(i,ii,iii)	
Malaconotus monteiri	3000	25300		Medium	14400.66	LC		
Malaconotus alius	10	84	2400	High	43.12	EN	B1+2ab(iii)	
Malindangia mcgregori	3000	13700		High	5957.23	LC		
Vireo masteri	500	3100	15423-15777	High	2347.49	VU	B2ab(i,ii,iii,v)	
Corvus palmarum	3000	180000		Medium	60273.66	LC/NT	C2	Population info needed
Semioptera wallacii	3000	13300		High	4914.26	LC/NT	B2b(ii)	
Cisticola aberdare	500	1300		Non-forest	N/A	VU	A2c+3c+4c; B2ab(i,ii,iii,iv,v)	
Acrocephalus brevipennis	500	1300	1500-2000	Non-forest	N/A	VU	B2ab(i,ii,iii,iv,v) ; C2a(i)	
Eremomela turneri	500	2600	13000-34000	Medium	2509.09	VU	B2ab(i,ii,iii,iv,v)	
Robsonius sorsogonensis	2000	5228		High	7758.39	LC/NT		Population info needed
Spelaeoris kinneari	2000	8000		High	3008.96	NT	B2ab(ii,iii,v)	
Garrulax milleti	3000	24200		High	13415.26	LC		Population info needed
Cutia legalleni	3000	28400		High	19625.74	LC		Population info needed
Kupeornis gilberti	500	1700	6000-15000	High	909.61	VU	B2ab(i,ii,iii,v)	

Family	Scientific name	Common name	2016 Red List Category	2016 Red List Criteria met	EOO calculated using Minimum Convex Polygon	EOO threshold for current Category	New Category under B1
Troglodytidae	Henicorhina negreti	Munchique Wood-wren	CR	B1ab(ii,iii,v)	6500	100	VU
Turdidae	Geokichla oberlaenderi	Oberländer's Ground-thrush	NT	B1ab(i,ii,iii,iv,v)	140000	30000	LC
Turdidae	Turdus swalesi	La Selle Thrush	EN	B1ab(i,ii,iii,iv,v)	16700	5000	VU
Turdidae	Chamaetylas choloensis	Thyolo Alethe	EN	B1ab(i,ii,iii,iv,v)	49600	5000	LC
Muscicapidae	Myiomela albiventris	White-bellied Blue Robin	EN	B1ab(i,ii,iii,v)	11700	5000	VU
Muscicapidae	Ficedula nigrorufa	Black-and-orange Flycatcher	NT	B1ab(ii,iii)	53300	30000	LC
Muscicapidae	Eumyias albicaudatus	Nilgiri Flycatcher	NT	B1ab(ii,iii)	78000	30000	LC
Cisticolidae	Apalis chariessa	White-winged Apalis	VU	B1ab(i,ii,iii,iv,v)	209,000	20000	LC
Dicaeidae	Dicaeum proprium	Whiskered Flowerpecker	NT	B1ab(iii)	81500	30000	LC
Nectariniidae	Cinnyris ursulae	Ursula's Sunbird	NT	B1ab(i,ii,iii)	51800	30000	LC
Fringillidae	Crithagra ankoberensis	Ankober Serin	VU	B1ab(iii)	64800	20000	LC
Fringillidae	Crithagra melanochroa	Kipengere Seed eater	NT	B1ab(iii,v)	70700	30000	LC
Fringillidae	Loxia megaplaga	Hispaniolan Crossbill	EN	B1ab(i,ii,iii)	31,800	5,000	LC
Parulidae	Geothlypis beldingi	Belding's Yellowthroat	EN	B1ab(i,ii,iii,iv,v)	55300	5000	LC
Emberizidae	Oreothraupis arremonops	Tanager Finch	VU	B1ab(i,ii,iii,v)	86200	20000	LC
Emberizidae	Torreornis inexpectata	Zapata Sparrow	EN	B1ab(i,ii,iii,v)	80,800	5,000	LC

Scientific name	AOO threshold for current Category	2014 'old' RL EOO = rough max of AOO	2016 population (mature individuals)	Forest dependence	Forest spp approx 'max AOO' (forest area within range)	New Red List Category proposed	Criteria proposed for new listing	Notes
<i>Henicorhina negreti</i>	10	8	250-999	High	N/A	VU	B2ab(iii); C2a(1)	As in Colombian RDB.
<i>Geokichla oberlaenderi</i>	3000	52500		High	39261.76	LC		Population info needed
<i>Turdus swalesi</i>	500	4100	1500-7000	High	1856.84	VU	B2ab(i,ii,iii,iv,v)	Population info needed
<i>Chamaetylas choloensis</i>	500	4700	1500-7000	Medium	1364.72	VU	A2c+3c+4c; B2ab(i,ii,iii,iv,v)	Population info needed
<i>Myiomela albiventris</i>	500	1350		High	801.25	VU	B1+2ab(i,ii,iii,v)	Population info needed
<i>Ficedula nigrorufa</i>	3000	21400		Low	N/A	LC		
<i>Eumyias albicaudatus</i>	3000	32800		Medium	14590.98	LC		
<i>Apalis chariessa</i>	2000	19600	1500-7000	High	5600	NT/VU	C2a(i)	Population info needed
<i>Dicaeum proprium</i>	3000	13600		Medium	7735.51	LC		
<i>Cinnyris ursulae</i>	3000	27800		Medium	9955.51	LC		
<i>Crithagra ankoberensis</i>	2000	16400	6000-15000	Non-forest	N/A	NT/VU	C2	Population info needed
<i>Crithagra melanothroa</i>	3000	30100		Low	N/A	LC		
<i>Loxia megalaga</i>	2000	3500	400-2300	High	1530	VU/EN	C2	Population info needed
<i>Geothlypis beldingi</i>	500	3800	1000-2499	Non-forest	N/A	VU	A2c+3c+4c; C2a(i)	
<i>Oreothraupis arreonops</i>	2000	13300	6000-15000	High	10113.77	LC		LC in Colombia RDB
<i>Torreornis inexpectata</i>	500	4300	600-1700	Low	N/A	VU/EN	C2	Population info needed

Family	Scientific name	Common name	2016 Red List Category	2016 Red List Criteria met	EOO calculated using Minimum Convex Polygon	EOO threshold for current Category	New Category under B1
Thraupidae	Poospiza garleppi	Cochabamba Mountain-finch	EN	B1ab(i,ii,iii,v)	33900	5000	VU
Thraupidae	Chlorochrysa nitidissima	Multicolored Tanager	VU	B1ab(i,ii,iii,v)	51200	20000	LC
Thraupidae	Tangara cabanisi	Azure-rumped Tanager	EN	B1ab(i,ii,iii,v)	10400	5000	VU

Scientific name	AOO threshold for current Category	2014 'old' RL EOO = rough max of AOO	2016 population (mature individuals)	Forest dependence	Forest spp approx 'max AOO' (forest area within range)	New Red List Category proposed	Criteria proposed for new listing	Notes
Poospiza garleppi	500	3800	270-2700	Low	N/A	VU	C2a(i); D1	Population info needed
Chlorochrysa nitidissima	2000	16900		High	10913.44	NT/VU	B2ab(ii,iii,v)	Colombian RDB suggests real AOO likely to be <2,000 km2 therefore lists as VU
Tangara cabanisi	500	4500	1500-7000	Medium	2520.53	VU	B2ab(i,ii,iii,v)	